Author Index

Ali, M. S., 97
Allegra, G., 419
Andrews, R. D., 387
Averyanova, V. M., 109
Bakeyev, N. F., 433, 459
Baldrian, J., 289
Baranov, V. G., 61, 327
Belov, G. P., 459
Berestneva, Z. Ya., 443, 451
Berghmans, H., 237
Bezruk, L. I., 337
Brown, D. S., 315
Buntjakov, A. S., 109
Bychkovsky, N. I., 327
Corradini, P., 419
Dosiere, M., 135, 261
Dušek, K., 121
Frenkel', S. Ya., 61
Fulcher, K. U., 315
Gałeski, A., 23
Garbar, N. M., 1
Gezalov, M. A., 357
Gilliot, M., 135, 261
Godovsky, Yu. K., 1
Goffin, A., 135, 261
Goikhman, A. Sh., 327
Gromov, V. I., 61
Hinrichsen, G., 303
Hoashi, K., 387
Janáček, J., 213, 221
Kargin, V. A., 451
Kazhdan, M. V., 443
Kiel, A. M., 167
Kireenko, O. Ph., 363
Konstantinopolskaya, M. B., 459
Kozłowski, W., 47
Krška, F., 121
Kruykov, A. V., 459
Kryszewski, M., 87
Kudrna, M., 213
Kuksenko, V. S., 357
Lednický, F., 375
Lipatov, Yu. S., 337
Marichin, V. A., 195, 363
Miasnikova, L. P., 195, 363
Mihajlov, M., 33
Nedkov, E., 33
Northolt, M. G., 205
Nosov, M. P., 327
Novak, I. I., 195
Overbergh, N., 237
Pakula, T., 87
Pelzbauer, Z., 23, 221, 289, 345, 375
Pennings, A. J., 167
Petraccone, V., 419
Point, J. J., 135, 261
Ponížil, F., 437
Purz, H. J., 405
Raab, M., 221
Regel, V. R., 363
Reztsova, E. V., 451
Richardson, M. J., 251
Schouteten, C. J. H., 167
Selikhova, V. I., 459
Sheldon, R. P., 97
Slonimsky, G. L., 1
Slovokhotova, N. A., 459
Slutsker, A. I., 357
Smets, G., 237
Smolders, C. A., 73
Sokolsky, V. A., 459
Steidl, J., 345
Stol, M., 221
Sukhov, F. F., 459
Sutchkov, V. A., 195
Tuchvatullina, M. Sh., 195
van Emmerik, P. T., 73
Volkov, T. I., 61
Vonk, C. G., 429
Wetton, R. E., 315
Yastrebinsky, A. A., 357
Zakrevsky, V. A., 357
Zharikova, Z. F., 451
Zubov, Yu. A., 459
Zurabian, R. S., 61

Subject Index

Anisotropy of gels from metal cellulose xanthate solutions, 405
Anisotropy of physical properties of single-textured polymer samples, 135
Annealing behavior,
of drawn polyacrylonitrile, 303
of glassy polymers, 97
of linear polyethylene films at high pressure, 459
of polycaprolactam films, 289
of polyethylene, 261
Annealing, effect of, on melting behavior of isotactic polystyrene, 237
Cellulose acetate, structure of solutions and films of, 109
Cellulose xanthate, sodium salt, gel formation by diffusion of metallic ions in solutions of, 405
Chain branching, short, effect on crystallinity, 429
Chain folding in crystallization of poly(ethylene oxide), 1
Chain folding in polyethylene, calculation of potential energy minima for, 419
Crack propagation in oriented crystalline polymers, 357
Crack propagation on fracture surfaces of nylon 66, 363
Crosslinked polymers,
polyethylene, crystallization of, 61
poly(2-hydroxyethyl methacrylate), viscoelastic properties of gels of, 221
Crystallinity, effect of short chain branches on, 429
Crystallites,
orientation of, in drawn polyamides, 205
formation of, in high-pressure annealing of polyethylene, 459
Crystallization,
of crosslinked polyethylene, 61
of fibrillar polyethylene, 167
of polyamide 6, 47
of polycaprolactam in annealed films, 289
of poly(ethylene oxide), kinetics of, 1
of polyoxymethylene melts, 23
of poly(oxymethylene diacetate) melts, effect of additives on, 33
Deformation,
in polycaproamide fibers, 213, 337
of nylon 6 in stretched fibers, 327
of polyamides, 205
of polyethylene, structural changes in, 345
of spherulites, light scattering method for determining, 87
Differential thermal analysis,
of annealed polyethylene, 261
of cellulose acetate films from various solvents, 109
of crystallization of glassy polyamide 6, 47
of glassy polymers, 97
of isotactic polystyrene, 237
procedure for, with use of computer, 251
Diffusion of ions to form gels in metal cellulose xanthate solutions, 405
Dilatometric study of crystallization kinetics in poly(ethylene oxide), 1
Dynamic mechanical properties,
of linear polyethylene, effect of orientation on, 195
of nylon 6 film, effect of heat treatment and swelling on, 387
of polyacrylonitrile during annealing, 303
of rubber vulcanizates, effect of additives on, 451
Electron microscopy,
of fibrillar polyethylene crystals, 167
of films of binary elastomer mixtures, 443
of fracture surface of nylon 66, 363
of fracture surface of poly(methyl methacrylate), 375
of gels from metal cellulose xanthate solutions, 405
of glassy polymers, 97
of heterogeneous gels, 221
of high-pressure annealed polyethylene, 459
of oriented polyethylene films, 195
of polycaprolactam in annealed films, 289

of polyethylene during deformation, 345
of polyoxymethylene crystals, 23
of stretched polycaproamide fibers, 337
of swollen cation exchangers, 121
Fracture, mechanism of,
in nylon 66, 363
in oriented crystalline polymers, 357
in poly(methyl methacrylate), 375
Fracture surface morphology,
of nylon 66, 363
of poly(methyl methacrylate), 375
Glass transition temperature,
crystallization of polyamide in the region of, 97
in polyamides, 205
morphology of polymers in the region of, 47
Hydrogen bonds in drawn films of polyamides, 205
Infrared dichroism of fibrillar polyethylene crystals, 167
Infrared spectroscopy,
of cellulose acetate films, 109
of glassy polymers, 97
of high-pressure annealed polyethylene, 459
Kinetics of crystallization,
of crosslinked polyethylene under stretching, 61
of poly(ethylene oxide) melts, 1
of polyoxymethylene melts, 23
of poly(oxymethylene diacetate) melts, 33
Light scattering from stretched nylon 6 fibers, 327
Light scattering method for determining degree of spherulite deformation, 87
Liquid-liquid phase separation in polymer solutions, 73
Melting behavior of poly(ethylene oxide) crystals, 1
Melting of isotactic polystyrene, effect of thermal history on, 237
Melting of semicrystalline polymers, morphological changes during, 315
Molecular structure,
calculation of potential energy minima for folds in crystalline polyethylene, 419
of polyacrylonitrile during annealing, 303
Molecular weight, effect of,
on crystallization of poly(ethylene oxide), 1
on films of polyisobutylene and polyisoproprene rubber, 443
on structural changes in polyethylene during deformation, 345
Networks,
structure in polyelectrolyte gels, 405
viscoelastic properties of poly(2-hydroxyethyl methacrylate) gels, 221
Nylon 6,
effect of heat treatment and swelling on dynamic mechanical properties of, 387
kinetics of crystallization of, 47
structure of stretched fibers, 327
Nylons 11, 12, and 66, deformation in drawn films of, 205
Nylon 66, fracture surfaces of, 363
Optical microscopy,
of fracture surface of poly(methyl methacrylate), 375
of gels from metal cellulose xanthate solutions, 405
of heterogeneous gels, 221
of melting isotactic polystyrene, 237
of polyethylene during deformation, 345
of poly(ethylene oxide) during crystallization, 1
of polyoxymethylene crystals, 23
of poly(oxymethylene diacetate) crystals, 33
of stretched nylon 6 fibers, 327
Optical rotation of solutions of cellulose acetate, 109
Phase separation, liquid-liquid, in binary and ternary polymer solutions, 73
Polyacrylonitrile, annealing behavior of, 303
Polyamide 6, kinetics of crystallization of, 47
Polyamides, deformation in drawn films of, 205
Polycaproamide,
deformation in fibers of, 213, 337
fracture mechanism in, 357
Polycaprolactam, annealing of, 289
Polycarbonate, bisphenol A, morphology of glassy, 97
Polychloroprene vulcanizate, effect of additives on mechanical properties of, 451
Poly(2,6-dimethyl-1,4-phenylene oxide), phase separation in solutions of, 73
Polyelectrolytes,
gel formation by ionic diffusion in, 405
pore sizes in swollen cation exchangers, 121
Polyethylene,
anisotropy of properties of single-

textured samples of, 135
calculation of potential energy minima for models of crystals of, 419
crosslinked, crystallization and structure of, 61
effect of chain branching on crystallinity of, 429
fracture mechanism in, 357
heat of fusion of, 251
light scattering by deformed spherulites in, 87
morphology during melting of, 315
structural changes in deformation of, 345
structural changes under high-pressure annealing of, 459
structural effect on strength of films of, 195
tensile properties of fibrillar crystals of, 167
x-ray study of morphology of, 261
Poly(ethylene oxide), effect of molecular weight on crystallization from melts, 1
Poly(ethylene terephthalate), morphology of glassy, 97
Poly(ethyl methacrylate), morphology of glassy, 97
Poly(2-hydroxyethyl methacrylate), viscoelastic behavior of gels of, 221
Polyisobutene, films of mixtures of isoprene rubber with, 443
Poly(methyl methacrylate), fracture surface morphology of, 375
Poly(methyl methacrylate), morphology of glassy, 97
Polyoxymethylene, crystallization from melts, 23
Poly(oxymethylene diacetate), crystallization from melts, 33
Polypropylene, fracture mechanism in, 357
Polystyrene, isotactic, melting behavior of, 237
Polystyrene, morphology of glassy, 97
Poly(tetramethylene oxide), morphology during melting of, 315
Poly(vinyl chloride), disintegration of pastes of, 437
Raman spectra of glassy polymers, 97
Rubber, isoprene and polyisobutene mixtures, properties of films of, 443
Rubber vulcanizates, effect of additives on mechanical properties of, 451
Sodium cellulose xanthate, gel formation in, by diffusion of metal ions, 405
Spherulites,
deformation of, in stretching nylon 6 fibers, 327
deformation of, in stretching polycaproamide fibers, 337
in crystallization of crosslinked polyethylene, 61
in poly(oxymethylene diacetate) crystallization, 33
kinetics of growth in poly(ethylene oxide), 1
light scattering method for determining deformation of, 87
Stress-strain relations,
in deformation of polyethylene, 345
in fibrillar polyethylene crystals, 167
in glassy polymers, 97
in heterogeneous gels, 221
in polycaproamide fibers, 213
Styrene-divinylbenzene copolymers, sulfonated, pore sizes in gels of, 121
Swelling,
anisotropic, in polyethylene crystals, 135
effect of, on dynamic mechanical properties of nylon 6, 387
of cation exchangers, pore size distribution in, 121
Thermodynamics of crystallization,
of crosslinked polyethylene, 61
of polyamide 6, 47
of poly(ethylene oxide) melts, 1
of polyoxymethylene melts, 23
Thermodynamics of liquid-liquid phase separation in poly(2,6-dimethyl-1,4-phenylene oxide) solutions, 73
Viscoelastic properties of poly(2-hydroxyethyl methacrylate) gels, 221
Viscosity of cellulose acetate solutions, 109
X-ray diffractions,
of cellulose acetate films, 109
of crack formation in oriented crystalline polymers, 357
of drawn polyamides, 205
of glassy polymers, 97
of high-pressure annealed polyethylene, 459
of high-pressure polyethylene, 135, 261
of melting semicrystalline polymers, 315
of nylon 6 films, effect of heat treatment and swelling on, 387
of polyacrylonitrile during annealing, 303
of polycaproamide, 213
of polycaproamide stretched fibers, 337
of polycaprolactam during annealing, 289
of polyethylene during deformation, 345